

SAPC 14120
COPY 1 OF 3

3/21/57 20 March 1957

Subject: Contract Change Proposal #9, Ground Support Equipment,
C Configuration

Reference: (a) Conference, Pasadena 18 February 1957 - GK, JMcD, WCM,
RHP
(b) Telecon - 14 March 1957 WAS to GK

Enclosures: Configuration C, Ground Support Equipment, Proposed

Dear Sir:

Enclosed herewith is our proposal for Ground Support Equipment for Configuration C, which is based on the final design of the basic equipment, experience at the Test Site and discussions with Headquarters.

The distributions of all equipments in this proposal are based on three (3) units of Configuration C assigned to Customer A and three (3) units assigned to Customer B.

The proposed Ground Support Equipment for Customer A is based on the support requirements on one (1) Configuration C at each of three (3) detachments.

The proposed Ground Support Equipment for Customer B is based on the support requirements of three (3) units of Configuration C at one Main Base which has a satellite capability.

The Factory Maintenance and Overhaul facility will be required to support all six (6) units of Configuration C, and a set of Ground Support Equipment is necessary to support this activity.

Part I of the attached enclosure lists the recommended distribution of Ground Support Equipment to Customer A, Customer B, and to Maintenance and Overhaul. Part II gives the technical description of each item. Part III presents the proposed Contract Exhibit which lists the prices and delivery of each item. The funds for Configuration C, Ground Support Equipment to support Maintenance and Overhaul have been allocated equally to Customer A and Customer B on the basis of three (3) units of Configuration C to each.

As authorized in reference (a) and (b) we are proceeding with work on certain items which take long deliveries.

25X1

-2-

We trust that this proposal meets with your approval and request that contractual coverage be issued to us for these items at a total price of \$158,102.00.

Very truly yours,

HYCON MFG. COMPANY



Instrument Division

25X1

HRE:bc

1-20 H
SAPG 14120

3/21/57
COPY 4 OF 4

'C' CONFIGURATION
SPLIT UP

Configuration C

Ground Support Equipment

Proposed 20 March 1957

Part I	Introduction
Part II	Technical Description
Part III	Proposed Contract Exhibit

20 March 1957.

AERIAL SURVEYING EQUIPMENT PROJECT PLAN

Part I Introduction

At the initiation of the Project, it was recognized that special Ground Support Equipment would be required for Configuration C. At that time, it was not possible to delineate the scope of the equipment or its particular features. Now, however, the design, manufacture, and test of Configuration C has progressed to the point where the major portion of the Ground Support Equipment can be identified. The following items have been selected as essential for the support of Configuration C:

	Recommended Quantity			
	Total for 3 Dets.	FOG	50-50 M&O	Total
1. 73-C Power Cart	3	23	1	6
2. Specialized Shop Tools				
2.1 Special Wrenches, Cassette	9 sets	9 sets	2 sets	17 sets
(a) Wrench, Cassette, Adjustment nut (one per set)				
(b) Wrench, Cassette Shaft, retaining (one per set)				
2.2 30" Spirit Level,	6	6		10
2.3 Wrench, Configuration A/C Mounting	12	212	2	22
2.4 Precision Spirit Level (6")	6	46		10
2.5 Machinists Jack, 3"	12	212		20
2.6 Right Angle Extension Flashlight	6	46		10
2.7 Cross Hair Eyepiece	3	23		5
3. Stands and Dollies				
3.1 Spool Storage Stand, 73-C	12	8	4	24
3.2 Cassette Loading Stand 73-C <i>see Ngeon print w/FOG</i>	3		1	6
<i>see item 190-A of SC 21-54 SA 6</i>				
3.3 Optical Structure Maintenance Dolly 73-C	3	2	1	6

*Bal of pages destroyed,
2 or 3 complete set see*